

Package: rpart.LAD (via r-universe)

August 27, 2024

Type Package

Title Least Absolute Deviation Regression Trees

Version 0.1.3

Date 2023-11-18

Author Stephan Dlugosz [aut,cre]

Maintainer Stephan Dlugosz <stephan.dlugosz@googlemail.com>

Description Recursive partitioning for least absolute deviation regression trees. Another algorithm from the 1984 book by Breiman, Friedman, Olshen and Stone in addition to the 'rpart' package (Breiman, Friedman, Olshen, Stone (1984, ISBN:9780412048418).

License GPL-3

NeedsCompilation yes

Depends R (>= 3.6.0), Rcpp (>= 0.12.3), rpart (>= 3.1.0)

LinkingTo Rcpp (>= 0.12.3)

Encoding UTF-8

RoxygenNote 7.2.3

Date/Publication 2023-11-18 09:30:02 UTC

Repository <https://sdlugosz.r-universe.dev>

RemoteUrl <https://github.com/cran/rpart.LAD>

RemoteRef HEAD

RemoteSha 53a188b368995d5ddea84d998deaa94f88aad7cf

Contents

LAD	2
Index	3

LAD *'rpart'-method: List of required functions for inducing 'rpart'-like LAD regression trees*

Description

'rpart'-method: List of required functions for inducing 'rpart'-like LAD regression trees

Usage

LAD

Format

An object of class list of length 4.

Examples

```
mystate <- data.frame(state.x77, region = state.region)
names(mystate) <- casefold(names(mystate)) #remove mixed case

fit <- rpart(murder ~ ., data = mystate, minsplit = 10, method = LAD)
plot(fit); text(fit)
```

Index

* **datasets**

LAD, [2](#)

LAD, [2](#)